

Simmerring B2.../SL to DIN 3761 C/CS

Simmerring B2FUD, B2FUDSL, B2U, B2USL, B2, B2SL




Fig. 1 Simmerring B2FUD NBR




Fig. 2 Simmerring B2FUDSL NBR

Product advantages

- Broad range of applications in every sector of industry
- For larger dimensions and with rough fitting in the locating bore
(Note: limited static sealing on the outer casing for low viscosity and gaseous media)

- Additional dust lip as additional seal against moderate to medium dust and dirt ingress (B2...SL)
(Note: can lead to temperature increase from frictional heat).

Application

- Heavy industry
(cranes, calendar roll gearboxes).

Material

Acrylonitrile-butadiene rubber

Code	72 NBR 902
Colour	Blue
Hardness	72 Shore A
Metal housing	Unalloyed steel DIN 1624
Metal insert	Unalloyed steel DIN 1624
Spring	Spring steel DIN 17223

75 FKM 585 and 75 FKM 595 on enquiry.

Product description

- Outer casing: metal, machined
- Metal insert
- Spring-loaded sealing lip
- Additional dust lip (B2...SL)
- Sealing lip profile, sealing lip machined on the front face
- Sealing lip profile, finished sealing lip (B2FUD/B2FUDSL).

Operating conditions

Media	Mineral oils, synthetic oils*, greases
T	-40 ... +100 °C short term up to... +120 °C
v	<p>The graph plots Circumferential speed [m/s] (y-axis, 0 to 40) against Shaft diameter [mm] (x-axis, 0 to 500). Two curves are shown: one for FKM (higher speed) and one for NBR (lower speed). Both curves start at approximately 2 m/s for a 25 mm shaft and increase as shaft diameter increases. The FKM curve reaches about 35 m/s at 500 mm shaft diameter, while the NBR curve reaches about 15 m/s.</p>
P	up to 0,05 MPa/0,5 bar up to 0,02 MPa/0,2 bar (B2FUD/B2FUDSL)

* With synthetic oils (polyalkylene glycols/polyalphaolefins, → Technical Manual synthetic lubricants)
it is to be noted that the maximum operating temperature of 80 °C must not be exceeded.

Max. permissible values depend on the other operating conditions.

Fitting & installation

Shaft

Tolerance	ISO h 11
Runout	IT 8
Roughness	$R_a = 0,2 \dots 0,8 \mu\text{m}$ $R_z = 1,0 \dots 5,0 \mu\text{m}$ $R_{\max} = <6,3 \mu\text{m}$
Hardness	45 ... 60 HRC
Finish	No lead; preferably plunge ground

Housing bore

Tolerance	ISO H8
Roughness, metal outer surface OD	$R_z = 6,3 \dots 16 \mu\text{m}$

Careful fitting according to DIN 3760 is a prerequisite for the correct function of the seal → Technical Manual.

Range of dimensions for shafts-Ø d₁

Simmerring B2...	10 ... 710 mm
Simmerring B2...SL	25 ... 185 mm

Article list

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
10	22	8	C	metal	0,05	72 NBR 902	B2U	22674	B
10	30	10	C	metal	0,05	72 NBR 902	B2U	22844	B
12	22	8	C	metal	0,05	72 NBR 902	B2	23494	B
12	30	10	C	metal	0,05	72 NBR 902	B2	22848	B
12	32	10	C	metal	0,05	72 NBR 902	B2U	22849	B
14	30	10	C	metal	0,05	72 NBR 902	B2U	22854	B
15	30	8	C	metal	0,05	72 NBR 902	B2	22675	B
15	30	10	C	metal	0,05	72 NBR 902	B2U	22857	B
15	32	10	C	metal	0,05	72 NBR 902	B2	22858	B
15	35	10	C	metal	0,05	72 NBR 902	B2U	22677	B
15	40	10	C	metal	0,05	72 NBR 902	B2U	22859	B
15	42	10	C	metal	0,05	72 NBR 902	B2	22860	D
15	42	10	C	metal	0,02	72 NBR 902	B2FUD	422249	B
16	30	10	C	metal	0,05	72 NBR 902	B2U	22679	B
16	32	10	C	metal	0,05	72 NBR 902	B2U	22861	B
16	35	10	C	metal	0,05	72 NBR 902	B2	22680	B
16	40	10	C	metal	0,05	72 NBR 902	B2	22863	B
17	32	10	C	metal	0,05	72 NBR 902	B2	22681	B
17	35	8	C	metal	0,02	72 NBR 902	B2FUD	334907	B
17	35	10	C	metal	0,02	72 NBR 902	B2FUD	334908	B
17	40	10	C	metal	0,05	72 NBR 902	B2	22865	B
17	47	10	C	metal	0,05	72 NBR 902	B2	22866	B
18	35	8	C	metal	0,05	72 NBR 902	B2U	22686	B
18	35	10	C	metal	0,05	72 NBR 902	B2	22867	B
18	40	10	C	metal	0,05	72 NBR 902	B2	23516	D
19	35	10	C	metal	0,05	72 NBR 902	B2	22870	B
19	47	10	C	metal	0,05	72 NBR 902	B2	22872	D
19,05	38,1	9,5	C	metal	0,05	72 NBR 902	B2	22874	B
20	35	10	C	metal	0,05	72 NBR 902	B2U	22689	B
20	37	10	C	metal	0,05	72 NBR 902	B2	22875	B
20	40	10	C	metal	0,05	72 NBR 902	B2U	22877	B
20	42	10	C	metal	0,05	72 NBR 902	B2U	22690	B
20	47	10	C	metal	0,05	72 NBR 902	B2	22878	B
20	50	12	C	metal	0,05	72 NBR 902	B2	22879	B
20	52	10	C	metal	0,05	72 NBR 902	B2	22880	B
21	35	10	C	metal	0,05	72 NBR 902	B2U	22691	B
22	40	10	C	metal	0,05	72 NBR 902	B2U	22883	B
22	42	10	C	metal	0,05	72 NBR 902	B2	22884	B
22	47	9	C	metal	0,05	72 NBR 902	B2	38026	D
22	47	10	C	metal	0,05	72 NBR 902	B2U	22693	B
23	40	10	C	metal	0,05	72 NBR 902	B2	22886	D
24	40	10	C	metal	0,05	72 NBR 902	B2U	22888	B
24	42	10	C	metal	0,05	72 NBR 902	B2U	22889	B
24	47	10	C	metal	0,05	72 NBR 902	B2U	8071	B
24	52	12	C	metal	0,05	72 NBR 902	B2U	22893	B
25	40	9	C	metal	0,05	72 NBR 902	B2U	2490	B
25	40	10	C	metal	0,05	72 NBR 902	B2U	22694	B
25	41	10	C	metal	0,05	72 NBR 902	B2	22894	D
25	42	9	C	metal	0,05	72 NBR 902	B2U	4571	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
25	42	10	C	metal	0,05	72 NBR 902	B2U	22895	B
25	45	10	C	metal	0,05	72 NBR 902	B2	22896	B
25	47	9	C	metal	0,02	72 NBR 902	B2FUD	334909	B
25	47	10	CS	metal	0,05	72 NBR 902	B2SL	33189	B
25	47	10	C	metal	0,02	72 NBR 902	B2FUD	334910	B
25	50	10	C	metal	0,05	72 NBR 902	B2	22898	B
25	50	12	C	metal	0,05	72 NBR 902	B2	22899	B
25	52	9	C	metal	0,02	72 NBR 902	B2FUD	334911	B
25	52	10	C	metal	0,02	72 NBR 902	B2FUD	334912	B
25	52	12	C	metal	0,02	72 NBR 902	B2FUD	334913	B
25	62	12	C	metal	0,05	72 NBR 902	B2	22902	B
26	42	10	C	metal	0,05	72 NBR 902	B2U	22905	B
26	47	10	C	metal	0,05	72 NBR 902	B2	22906	B
27	41	10	C	metal	0,05	72 NBR 902	B2U	22700	B
27	42	10	C	metal	0,05	72 NBR 902	B2	22701	B
27	47	10	C	metal	0,05	72 NBR 902	B2	22911	B
27	62	12	C	metal	0,05	72 NBR 902	B2	22914	D
28	40	7,5	C	metal	0,05	72 NBR 902	B2	38409	B
28	47	9	C	metal	0,05	72 NBR 902	B2	2479	B
28	47	10	C	metal	0,05	72 NBR 902	B2	22915	B
28	50	10	C	metal	0,05	72 NBR 902	B2U	22704	B
28	50	12	C	metal	0,05	72 NBR 902	B2U	22916	B
28	52	9	C	metal	0,05	72 NBR 902	B2	19623	B
28	52	10	C	metal	0,05	72 NBR 902	B2U	22705	B
28	52	12	C	metal	0,05	72 NBR 902	B2	22917	B
28	62	12	C	metal	0,05	72 NBR 902	B2	22919	B
29	47	10	C	metal	0,05	72 NBR 902	B2	22923	B
29	50	10	C	metal	0,05	72 NBR 902	B2	22707	B
29	52	10	C	metal	0,05	72 NBR 902	B2	22924	B
30	47	8	C	metal	0,05	72 NBR 902	B2	23631	B
30	47	10	C	metal	0,05	72 NBR 902	B2U	22708	B
30	48	10	C	metal	0,05	72 NBR 902	B2	22926	B
30	50	9	C	metal	0,02	72 NBR 902	B2FUD	334656	B
30	50	10	C	metal	0,02	72 NBR 902	B2FUD	334361	B
30	50	12	C	metal	0,02	72 NBR 902	B2FUD	334657	B
30	52	9	CS	metal	0,05	72 NBR 902	B2SL	34894	B
30	52	9	C	metal	0,02	72 NBR 902	B2FUD	334691	B
30	52	10	C	metal	0,02	72 NBR 902	B2FUD	334690	B
30	52	12	C	metal	0,02	72 NBR 902	B2FUD	334334	B
30	56	10	C	metal	0,05	72 NBR 902	B2U	22932	B
30	56	12	C	metal	0,05	72 NBR 902	B2	22933	B
30	62	9	C	metal	0,02	72 NBR 902	B2FUD	334914	B
30	62	10	C	metal	0,02	72 NBR 902	B2FUD	334915	B
30	62	12	C	metal	0,02	72 NBR 902	B2FUD	334916	B
30	72	10	C	metal	0,02	72 NBR 902	B2FUD	334356	B
31	47	10	C	metal	0,05	72 NBR 902	B2	22711	D
32	47	9	C	metal	0,05	72 NBR 902	B2U	2484	B
32	47	10	C	metal	0,05	72 NBR 902	B2U	22714	B
32	50	10	C	metal	0,05	72 NBR 902	B2U	22715	B
32	50	12	C	metal	0,05	72 NBR 902	B2U	22942	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
32	52	9	C	metal	0,02	72 NBR 902	B2FUD	334673	B
32	52	10	C	metal	0,02	72 NBR 902	B2FUD	334335	B
32	52	12	C	metal	0,02	72 NBR 902	B2FUD	334345	B
32	55	12	C	metal	0,05	72 NBR 902	B2	22945	B
32	56	12	C	metal	0,05	72 NBR 902	B2	22947	D
32	62	10	C	metal	0,05	72 NBR 902	B2	22949	B
32	65	12	C	metal	0,05	72 NBR 902	B2	22951	B
32	72	12	C	metal	0,05	72 NBR 902	B2	22952	B
33	50	10	C	metal	0,05	72 NBR 902	B2U	22953	B
33	52	10	C	metal	0,05	72 NBR 902	B2U	22955	B
34	50	10	C	metal	0,05	72 NBR 902	B2U	22717	B
34	52	10	C	metal	0,05	72 NBR 902	B2	22963	B
34	58	13	C	metal	0,05	72 NBR 902	B2	22965	B
34	62	10	C	metal	0,05	72 NBR 902	B2	22966	D
34	72	12	C	metal	0,05	72 NBR 902	B2	22968	B
35	50	9	C	metal	0,02	72 NBR 902	B2FUD	335011	B
35	50	10	C	metal	0,02	72 NBR 902	B2FUD	335010	B
35	50	12	C	metal	0,02	72 NBR 902	B2FUD	335476	B
35	52	9	CS	metal	0,05	72 NBR 902	B2USL	34895	B
35	52	9	C	metal	0,02	72 NBR 902	B2FUD	334917	B
35	52	10	C	metal	0,02	72 NBR 902	B2FUD	334918	B
35	52	12	C	metal	0,02	72 NBR 902	B2FUD	334919	B
35	55	12	C	metal	0,05	72 NBR 902	B2	22974	B
35	56	10	C	metal	0,05	72 NBR 902	B2U	22975	B
35	56	12	C	metal	0,05	72 NBR 902	B2U	22976	B
35	58	13	C	metal	0,05	72 NBR 902	B2	22977	B
35	60	10	C	metal	0,05	72 NBR 902	B2	22978	B
35	60	12	C	metal	0,05	72 NBR 902	B2	22980	B
35	62	9	C	metal	0,02	72 NBR 902	B2FUD	335998	B
35	62	10	C	metal	0,02	72 NBR 902	B2FUD	335997	B
35	62	12	C	metal	0,02	72 NBR 902	B2FUD	335996	B
35	65	10	C	metal	0,05	72 NBR 902	B2U	22983	B
35	70	12	C	metal	0,05	72 NBR 902	B2U	22985	B
35	72	12	C	metal	0,02	72 NBR 902	B2FUD	334920	B
35	80	13	C	metal	0,02	72 NBR 902	B2FUD	334921	B
36	52	9	C	metal	0,05	72 NBR 902	B2	2865	B
36	56	10	C	metal	0,05	72 NBR 902	B2	22988	B
36	56	12	C	metal	0,05	72 NBR 902	B2	22720	B
36	62	9	C	metal	0,05	72 NBR 902	B2	18224	B
36	62	10	C	metal	0,05	72 NBR 902	B2	22721	B
36	62	12	C	metal	0,05	72 NBR 902	B2	22991	B
36	72	12	C	metal	0,05	72 NBR 902	B2	22993	B
37	52	10	C	metal	0,05	72 NBR 902	B2U	20711	B
37	56	10	C	metal	0,05	72 NBR 902	B2	27478	B
37	58	13	C	metal	0,05	72 NBR 902	B2	23496	B
37	62	9	C	metal	0,05	72 NBR 902	B2U	22996	B
37	62	12	C	metal	0,05	72 NBR 902	B2	22997	D
37	80	13	C	metal	0,05	72 NBR 902	B2U	22999	B
38	55	9	C	metal	0,05	72 NBR 902	B2U	2486	B
38	55	10	C	metal	0,05	72 NBR 902	B2U	23000	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
38	55	12	C	metal	0,05	72 NBR 902	B2U	23001	B
38	56	10	C	metal	0,05	72 NBR 902	B2U	23002	B
38	56	12	C	metal	0,05	72 NBR 902	B2	23003	B
38	60	10	C	metal	0,05	72 NBR 902	B2	23004	D
38	62	9	C	metal	0,02	72 NBR 902	B2FUD	334922	B
38	62	10	C	metal	0,02	72 NBR 902	B2FUD	334923	B
38	62	12	C	metal	0,02	72 NBR 902	B2FUD	334924	B
38	65	10	C	metal	0,05	72 NBR 902	B2	23008	B
38	72	12	C	metal	0,05	72 NBR 902	B2U	23012	B
39	62	12	C	metal	0,05	72 NBR 902	B2	23016	B
40	55	9	C	metal	0,02	72 NBR 902	B2FUD	334363	B
40	55	12	C	metal	0,02	72 NBR 902	B2FUD	334687	B
40	56	10	C	metal	0,05	72 NBR 902	B2U	22725	B
40	56	12	C	metal	0,05	72 NBR 902	B2U	22726	B
40	58	10	C	metal	0,05	72 NBR 902	B2U	39660	B
40	60	10	C	metal	0,05	72 NBR 902	B2U	23019	B
40	60	10	CS	metal	0,05	72 NBR 902	B2SL	23632	B
40	60	12	C	metal	0,05	72 NBR 902	B2U	23020	B
40	62	9	CS	metal	0,05	72 NBR 902	B2USL	34896	B
40	62	9	C	metal	0,02	72 NBR 902	B2FUD	334354	B
40	62	10	C	metal	0,02	72 NBR 902	B2FUD	334684	B
40	62	12	C	metal	0,02	72 NBR 902	B2FUD	334670	B
40	65	10	C	metal	0,05	72 NBR 902	B2	23023	B
40	65	12	C	metal	0,05	72 NBR 902	B2U	23024	B
40	65	12	CS	metal	0,05	72 NBR 902	B2USL	23446	B
40	68	12	C	metal	0,05	72 NBR 902	B2	23025	B
40	70	12	C	metal	0,05	72 NBR 902	B2	23026	B
40	72	9	C	metal	0,05	72 NBR 902	B2	9548	B
40	72	10	C	metal	0,05	72 NBR 902	B2U	23027	B
40	72	12	C	metal	0,05	72 NBR 902	B2U	23028	B
40	80	13	C	metal	0,05	72 NBR 902	B2U	23030	B
41	62	10	C	metal	0,05	72 NBR 902	B2U	23031	B
42	60	10	C	metal	0,05	72 NBR 902	B2U	22728	B
42	60	12	C	metal	0,05	72 NBR 902	B2U	23034	B
42	62	10	CS	metal	0,05	72 NBR 902	B2USL	20700	B
42	62	10	C	metal	0,05	72 NBR 902	B2U	22729	B
42	62	12	C	metal	0,05	72 NBR 902	B2U	23035	B
42	65	10	C	metal	0,05	72 NBR 902	B2U	23036	B
42	65	12	C	metal	0,05	72 NBR 902	B2U	23037	B
42	66	13	C	metal	0,05	72 NBR 902	B2	23038	B
42	68	10	C	metal	0,05	72 NBR 902	B2U	49011583	B
42	70	12	C	metal	0,05	72 NBR 902	B2	23039	B
42	72	10	C	metal	0,02	72 NBR 902	B2FUD	334925	B
42	72	12	C	metal	0,02	72 NBR 902	B2FUD	334926	B
42	80	13	C	metal	0,05	72 NBR 902	B2	23041	B
43	60	10	C	metal	0,05	72 NBR 902	B2	22732	B
43	62	10	C	metal	0,05	72 NBR 902	B2U	22733	B
43	72	10	C	metal	0,05	72 NBR 902	B2	22734	B
44	60	10	C	metal	0,05	72 NBR 902	B2U	22735	B
44	62	10	C	metal	0,05	72 NBR 902	B2U	23043	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
44	62	12	C	metal	0,05	72 NBR 902	B2U	23044	B
44	65	10	C	metal	0,05	72 NBR 902	B2U	22736	B
44	70	12	C	metal	0,05	72 NBR 902	B2U	23046	B
44	72	12	C	metal	0,05	72 NBR 902	B2	23047	B
45	60	8	CS	metal	0,05	72 NBR 902	B2USL	23427	B
45	60	10	C	metal	0,02	72 NBR 902	B2FUD	334682	B
45	60	12	C	metal	0,02	72 NBR 902	B2FUD	334681	B
45	62	10	C	metal	0,05	72 NBR 902	B2U	23048	B
45	62	10	CS	metal	0,05	72 NBR 902	B2USL	34897	B
45	62	12	C	metal	0,05	72 NBR 902	B2U	23049	B
45	62	12	CS	metal	0,02	72 NBR 902	B2FUDSL	334351	B
45	65	10	C	metal	0,02	72 NBR 902	B2FUD	334357	B
45	65	12	C	metal	0,02	72 NBR 902	B2FUD	334366	B
45	68	10	C	metal	0,05	72 NBR 902	B2	25586	B
45	68	12	C	metal	0,05	72 NBR 902	B2	23053	B
45	70	10	C	metal	0,05	72 NBR 902	B2U	23591	B
45	70	12	C	metal	0,05	72 NBR 902	B2	23054	B
45	72	10	C	metal	0,02	72 NBR 902	B2FUD	334927	B
45	72	12	C	metal	0,02	72 NBR 902	B2FUD	334962	B
45	75	12	C	metal	0,05	72 NBR 902	B2	23056	B
45	80	10	C	metal	0,05	72 NBR 902	B2U	23058	B
45	80	13	C	metal	0,05	72 NBR 902	B2U	23059	B
45	85	13	C	metal	0,05	72 NBR 902	B2	23060	B
46	62	12	C	metal	0,05	72 NBR 902	B2U	22744	B
46	65	10	C	metal	0,05	72 NBR 902	B2U	23062	B
46	68	12	C	metal	0,05	72 NBR 902	B2	32022	B
46	80	10	C	metal	0,05	72 NBR 902	B2	22746	B
47	65	12	C	metal	0,05	72 NBR 902	B2U	23067	B
47	70	12	C	metal	0,05	72 NBR 902	B2	23068	B
47	72	10	C	metal	0,05	72 NBR 902	B2	23069	B
47	72	12	C	metal	0,05	72 NBR 902	B2	23070	B
48	65	10	C	metal	0,05	72 NBR 902	B2U	23074	B
48	65	10	CS	metal	0,05	72 NBR 902	B2SL	23429	B
48	65	12	C	metal	0,05	72 NBR 902	B2U	22747	B
48	68	10	C	metal	0,05	72 NBR 902	B2U	22748	B
48	68	12	C	metal	0,05	72 NBR 902	B2U	23075	B
48	70	10	C	metal	0,05	72 NBR 902	B2	23076	B
48	70	12	C	metal	0,05	72 NBR 902	B2	23077	B
48	70	14	CS	metal	0,05	72 NBR 902	B2SL	61833	D
48	72	10	C	metal	0,05	72 NBR 902	B2U	23078	B
48	72	12	C	metal	0,05	72 NBR 902	B2	23079	B
48	80	10	C	metal	0,05	72 NBR 902	B2U	22749	B
48	80	13	C	metal	0,05	72 NBR 902	B2	23080	B
48	90	13	C	metal	0,05	72 NBR 902	B2	23082	B
49	68	10	C	metal	0,05	72 NBR 902	B2U	22751	B
50	65	10	C	metal	0,05	72 NBR 902	B2U	22752	B
50	68	10	C	metal	0,05	72 NBR 902	B2U	23085	B
50	68	12	C	metal	0,05	72 NBR 902	B2U	23086	B
50	70	10	C	metal	0,05	75 FKM 595	B2	80614	D
50	70	10	C	metal	0,02	72 NBR 902	B2FUD	334346	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
50	70	12	C	metal	0,02	72 NBR 902	B2FUD	334347	B
50	72	10	CS	metal	0,05	72 NBR 902	B2USL	32425	B
50	72	10	C	metal	0,02	72 NBR 902	B2FUD	355458	B
50	72	12	CS	metal	0,05	72 NBR 902	B2SL	23599	B
50	72	12	C	metal	0,02	72 NBR 902	B2FUD	355449	B
50	75	12	C	metal	0,02	72 NBR 902	B2FUD	334963	B
50	78	13	C	metal	0,05	72 NBR 902	B2U	23093	B
50	80	10	C	metal	0,05	75 FKM 595	B2U	300325	D
50	80	10	C	metal	0,02	72 NBR 902	B2FUD	334964	B
50	80	13	C	metal	0,05	72 NBR 902	B2	23095	B
50	80	13	CS	metal	0,05	72 NBR 902	B2USL	23538	B
50	85	13	C	metal	0,05	72 NBR 902	B2	23096	B
50	90	13	C	metal	0,05	72 NBR 902	B2U	23097	B
50,8	76,2	12,7	C	metal	0,05	72 NBR 902	B2	23098	D
52	68	10	C	metal	0,05	72 NBR 902	B2U	22755	B
52	69	12	C	metal	0,05	72 NBR 902	B2	22757	B
52	70	10	C	metal	0,05	72 NBR 902	B2U	22758	B
52	72	10	C	metal	0,05	72 NBR 902	B2U	22760	B
52	72	12	C	metal	0,05	72 NBR 902	B2U	23100	B
52	75	10	C	metal	0,05	72 NBR 902	B2U	3546	B
52	75	12	C	metal	0,05	72 NBR 902	B2U	23101	B
52	80	10	C	metal	0,05	72 NBR 902	B2	22761	B
52	80	13	C	metal	0,05	72 NBR 902	B2U	23102	B
52	85	10	C	metal	0,05	72 NBR 902	B2	23104	B
52	85	13	C	metal	0,05	72 NBR 902	B2	23105	B
52	90	13	C	metal	0,05	72 NBR 902	B2U	23106	B
53	68	10	C	metal	0,05	72 NBR 902	B2U	22762	B
53	72	12	C	metal	0,05	72 NBR 902	B2	23108	B
53	80	13	C	metal	0,05	72 NBR 902	B2U	23109	B
53,98	76,2	12,5	C	metal	0,05	72 NBR 902	B2U	23112	B
54	70	12	C	metal	0,05	72 NBR 902	B2U	22763	B
54	72	10	C	metal	0,05	72 NBR 902	B2U	22764	B
54	80	10	C	metal	0,05	72 NBR 902	B2	22765	B
54	80	13	C	metal	0,05	72 NBR 902	B2U	23116	B
54	85	10	C	metal	0,05	72 NBR 902	B2	22766	B
55	72	10	C	metal	0,02	72 NBR 902	B2FUD	334677	B
55	72	12	C	metal	0,02	72 NBR 902	B2FUD	334333	B
55	75	10	C	metal	0,05	72 NBR 902	B2U	80235	B
55	75	12	C	metal	0,02	72 NBR 902	B2FUD	334965	B
55	78	13	C	metal	0,05	72 NBR 902	B2	23118	B
55	80	10	C	metal	0,05	72 NBR 902	B2U	23119	B
55	80	10	CS	metal	0,02	72 NBR 902	B2FUDSL	334966	B
55	80	12	C	metal	0,05	72 NBR 902	B2U	23120	B
55	80	13	C	metal	0,05	72 NBR 902	B2U	3564	B
55	85	10	C	metal	0,05	72 NBR 902	B2U	22769	B
55	85	13	C	metal	0,05	72 NBR 902	B2	23122	B
55	90	13	C	metal	0,05	72 NBR 902	B2	23123	B
55	100	13	C	metal	0,05	72 NBR 902	B2U	23124	B
56	72	10	C	metal	0,05	72 NBR 902	B2	2838	B
56	78	13	C	metal	0,05	72 NBR 902	B2	23125	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
56	80	10	C	metal	0,05	72 NBR 902	B2U	22770	B
56	80	13	C	metal	0,05	72 NBR 902	B2	23126	D
56	90	13	C	metal	0,05	72 NBR 902	B2	23128	B
57	72	10	C	metal	0,05	72 NBR 902	B2U	22772	B
57	80	12	C	metal	0,05	72 NBR 902	B2	23129	B
57	85	10	C	metal	0,05	72 NBR 902	B2	22773	D
57	85	12	C	metal	0,05	72 NBR 902	B2	23130	B
57	90	13	C	metal	0,05	72 NBR 902	B2	23131	B
57,15	76,2	13	C	metal	0,05	72 NBR 902	B2	20608	B
58	75	12	C	metal	0,02	72 NBR 902	B2FUD	334967	B
58	78	13	C	metal	0,05	72 NBR 902	B2U	22775	B
58	80	10	C	metal	0,05	72 NBR 902	B2U	23133	B
58	80	10	CS	metal	0,05	72 NBR 902	B2USL	23431	B
58	80	12	C	metal	0,05	72 NBR 902	B2U	23490	B
58	80	13	CS	metal	0,05	72 NBR 902	B2USL	23453	B
58	80	13	CS	metal	0,05	72 NBR 902	B2USL	457620	B
58	85	10	C	metal	0,05	72 NBR 902	B2U	22776	B
58	85	13	C	metal	0,05	72 NBR 902	B2	23134	B
58	90	13	C	metal	0,05	72 NBR 902	B2U	23135	B
60	75	8	C	metal	0,02	72 NBR 902	B2FUD	356373	B
60	78	13	C	metal	0,05	72 NBR 902	B2U	22777	B
60	80	10	C	metal	0,02	72 NBR 902	B2FUD	334968	B
60	80	12	C	metal	0,02	72 NBR 902	B2FUD	334969	B
60	80	13	CS	metal	0,05	72 NBR 902	B2USL	23534	B
60	80	13	C	metal	0,02	72 NBR 902	B2FUD	334970	B
60	85	10	C	metal	0,02	72 NBR 902	B2FUD	334693	B
60	85	12	C	metal	0,02	72 NBR 902	B2FUD	334692	B
60	85	13	C	metal	0,02	72 NBR 902	B2FUD	334332	B
60	90	10	C	metal	0,02	72 NBR 902	B2FUD	334353	B
60	90	12	C	metal	0,02	72 NBR 902	B2FUD	334668	B
60	95	13	C	metal	0,05	72 NBR 902	B2U	23142	B
61	85	13	C	metal	0,05	72 NBR 902	B2U	23145	D
62	80	10	C	metal	0,05	72 NBR 902	B2U	23148	B
62	80	12	C	metal	0,05	72 NBR 902	B2U	11647	B
62	85	10	C	metal	0,05	72 NBR 902	B2U	23149	B
62	85	12	C	metal	0,05	72 NBR 902	B2	2503	B
62	85	13	C	metal	0,05	72 NBR 902	B2U	23150	B
62	85	13	CS	metal	0,05	72 NBR 902	B2USL	23433	B
62	90	10	C	metal	0,05	72 NBR 902	B2U	22780	B
62	90	12	C	metal	0,05	72 NBR 902	B2U	23151	B
62	100	13	C	metal	0,05	72 NBR 902	B2	23152	B
63	85	10	C	metal	0,05	72 NBR 902	B2U	23153	B
63	85	12	C	metal	0,05	72 NBR 902	B2U	14876	B
63	85	13	C	metal	0,05	72 NBR 902	B2	23154	B
63	90	12	C	metal	0,05	72 NBR 902	B2	2792	B
63,5	82,55	9,5	C	metal	0,05	72 NBR 902	B2U	23156	B
64	80	13	C	metal	0,05	72 NBR 902	B2	22781	B
64	85	10	C	metal	0,05	72 NBR 902	B2U	23545	B
64	85	13	C	metal	0,05	72 NBR 902	B2U	23160	B
64	90	10	C	metal	0,05	72 NBR 902	B2U	22782	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
64	90	13	C	metal	0,05	72 NBR 902	B2	23161	B
64	90	13	CS	metal	0,05	72 NBR 902	B2USL	23454	B
65	85	10	C	metal	0,02	72 NBR 902	B2FUD	334697	B
65	85	10	C	metal	0,05	75 FKM 585	B2U	389134	D
65	85	12	C	metal	0,02	72 NBR 902	B2FUD	334696	B
65	85	13	C	metal	0,02	72 NBR 902	B2FUD	334336	B
65	90	10	C	metal	0,02	72 NBR 902	B2FUD	334664	B
65	90	12	CS	metal	0,05	72 NBR 902	B2USL	34900	B
65	90	12	C	metal	0,02	72 NBR 902	B2FUD	334352	B
65	90	13	C	metal	0,02	72 NBR 902	B2FUD	334663	B
65	95	13	C	metal	0,05	72 NBR 902	B2U	23166	B
65	100	10	C	metal	0,05	72 NBR 902	B2U	22783	B
65	100	12	C	metal	0,05	72 NBR 902	B2	19775	B
65	100	13	C	metal	0,05	72 NBR 902	B2U	23167	B
66	90	13	C	metal	0,05	72 NBR 902	B2	23171	B
67	85	10	C	metal	0,02	72 NBR 902	B2FUD	334972	B
67	85	10	C	metal	0,05	72 NBR 902	B2U	415598	B
67	90	10	C	metal	0,05	72 NBR 902	B2	22784	B
67	90	13	C	metal	0,05	72 NBR 902	B2	23174	B
68	90	10	C	metal	0,05	72 NBR 902	B2	23176	B
68	90	10	CS	metal	0,05	72 NBR 902	B2SL	38056	B
68	90	12	C	metal	0,05	72 NBR 902	B2U	23177	B
68	95	13	C	metal	0,05	72 NBR 902	B2U	23178	B
68	100	10	C	metal	0,05	72 NBR 902	B2	23180	B
68	100	12	C	metal	0,05	72 NBR 902	B2U	23179	B
70	90	10	C	metal	0,02	72 NBR 902	B2FUD	334651	B
70	90	12	C	metal	0,02	72 NBR 902	B2FUD	334650	B
70	90	13	CS	metal	0,05	72 NBR 902	B2USL	23457	B
70	90	13	C	metal	0,02	72 NBR 902	B2FUD	334358	B
70	95	10	C	metal	0,05	72 NBR 902	B2U	22786	B
70	95	13	C	metal	0,05	72 NBR 902	B2U	23185	B
70	98	13	C	metal	0,05	72 NBR 902	B2	23186	B
70	100	10	C	metal	0,02	72 NBR 902	B2FUD	334702	B
70	100	12	C	metal	0,02	72 NBR 902	B2FUD	334338	B
70	100	13	C	metal	0,02	72 NBR 902	B2FUD	334700	B
70	105	13	C	metal	0,05	72 NBR 902	B2	23189	B
70	110	13	C	metal	0,05	72 NBR 902	B2	23190	B
72	90	10	C	metal	0,05	72 NBR 902	B2U	22788	B
72	90	13	C	metal	0,05	72 NBR 902	B2U	22789	B
72	95	10	C	metal	0,05	72 NBR 902	B2U	23192	B
72	95	12	C	metal	0,05	72 NBR 902	B2U	2634	B
72	95	13	C	metal	0,05	72 NBR 902	B2U	4774	B
72	95	13	C	metal	0,05	75 FKM 595	B2	322085	D
72	100	10	C	metal	0,05	72 NBR 902	B2U	23194	B
72	100	12	C	metal	0,05	72 NBR 902	B2	16196	B
72	100	13	C	metal	0,05	72 NBR 902	B2	23195	B
72	105	13	C	metal	0,05	72 NBR 902	B2	23196	B
72	110	13	C	metal	0,05	72 NBR 902	B2	23197	B
73	95	10	C	metal	0,05	72 NBR 902	B2U	22790	B
73	100	13	C	metal	0,05	72 NBR 902	B2	23198	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
74	90	10	C	metal	0,05	72 NBR 902	B2U	22792	B
74	95	10	C	metal	0,05	72 NBR 902	B2U	22793	B
74	100	13	C	metal	0,05	72 NBR 902	B2	23200	B
75	90	12	C	metal	0,05	72 NBR 902	B2U	22795	B
75	95	10	C	metal	0,02	72 NBR 902	B2FUD	334596	B
75	95	12	C	metal	0,02	72 NBR 902	B2FUD	334595	B
75	95	13	C	metal	0,05	72 NBR 902	B2	22839	B
75	100	10	C	metal	0,02	72 NBR 902	B2FUD	334331	B
75	100	12	C	metal	0,02	72 NBR 902	B2FUD	334973	B
75	100	13	C	metal	0,05	72 NBR 902	B2	23529	B
75	100	13	CS	metal	0,02	72 NBR 902	B2FUDSL	334974	B
75	105	13	C	metal	0,05	72 NBR 902	B2U	23207	B
75	110	13	C	metal	0,05	72 NBR 902	B2U	23208	B
75	115	13	C	metal	0,02	72 NBR 902	B2FUD	335192	B
76	100	13	C	metal	0,05	72 NBR 902	B2	23210	B
76	110	13	C	metal	0,05	72 NBR 902	B2	23212	B
76,2	101,6	11,9	C	metal	0,05	72 NBR 902	B2U	23213	B
77	95	10	C	metal	0,05	72 NBR 902	B2U	22797	B
77	100	10	C	metal	0,05	72 NBR 902	B2U	22798	B
78	95	13	C	metal	0,05	72 NBR 902	B2	22799	B
78	100	10	C	metal	0,05	72 NBR 902	B2	22800	B
78	100	12	C	metal	0,05	72 NBR 902	B2	23214	B
78	105	13	C	metal	0,05	72 NBR 902	B2	23215	B
78	110	13	C	metal	0,05	72 NBR 902	B2	23216	B
80	95	10	C	metal	0,05	72 NBR 902	B2U	106305	B
80	100	10	C	metal	0,02	72 NBR 902	B2FUD	334355	B
80	100	12	CS	metal	0,05	72 NBR 902	B2USL	34903	B
80	100	12	C	metal	0,02	72 NBR 902	B2FUD	334362	B
80	100	13	C	metal	0,02	72 NBR 902	B2FUD	334359	B
80	100	13	CS	metal	0,02	72 NBR 902	B2FUDSL	335999	B
80	105	13	C	metal	0,02	72 NBR 902	B2FUD	356384	B
80	110	12	C	metal	0,05	72 NBR 902	B2U	11434	B
80	110	13	C	metal	0,05	72 NBR 902	B2U	23223	B
80	120	13	C	metal	0,05	72 NBR 902	B2	23224	B
80	125	13	C	metal	0,05	72 NBR 902	B2U	23225	B
81	100	10	C	metal	0,05	72 NBR 902	B2	22803	B
81	100	13	C	metal	0,05	72 NBR 902	B2	22804	B
82	105	13	C	metal	0,05	72 NBR 902	B2U	23227	B
82	110	13	C	metal	0,05	72 NBR 902	B2	23228	B
82,55	114,3	13	C	metal	0,05	72 NBR 902	B2U	20656	D
84	105	13	C	metal	0,05	72 NBR 902	B2U	23231	B
84	110	12	C	metal	0,05	72 NBR 902	B2	23232	B
84,14	114,3	11,9	C	metal	0,02	72 NBR 902	B2FUD	338367	D
85	100	13	C	metal	0,05	72 NBR 902	B2U	22805	B
85	105	13	CS	metal	0,05	72 NBR 902	B2SL	9687	B
85	105	13	C	metal	0,05	72 NBR 902	B2U	23234	B
85	110	13	CS	metal	0,02	72 NBR 902	B2FUDSL	334365	B
85	110	13	C	metal	0,02	72 NBR 902	B2FUD	334975	B
85	110	15	C	metal	0,02	72 NBR 902	B2FUD	334976	B
85	115	13	C	metal	0,05	72 NBR 902	B2U	23236	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
85	120	13	C	metal	0,05	72 NBR 902	B2U	23237	B
85	120	15	C	metal	0,05	72 NBR 902	B2	2515	B
85	125	13	C	metal	0,05	72 NBR 902	B2U	23505	B
85	130	13	C	metal	0,05	72 NBR 902	B2U	23238	B
86	110	13	C	metal	0,05	72 NBR 902	B2	23240	D
87	110	13	C	metal	0,05	72 NBR 902	B2U	23242	B
88	110	13	C	metal	0,05	72 NBR 902	B2U	23243	B
88	120	13	C	metal	0,05	72 NBR 902	B2U	23244	B
89	110	13	C	metal	0,05	72 NBR 902	B2	23246	B
90	110	8	C	metal	0,05	72 NBR 902	B2	22809	B
90	110	13	CS	metal	0,05	72 NBR 902	B2USL	23467	B
90	110	13	C	metal	0,02	72 NBR 902	B2FUD	334348	B
90	110	15	C	metal	0,05	72 NBR 902	B2U	11436	B
90	112,71	13	C	metal	0,02	72 NBR 902	B2FUD	334349	B
90	115	9	C	metal	0,05	72 NBR 902	B2	22810	B
90	120	13	C	metal	0,02	72 NBR 902	B2FUD	334695	B
90	120	13	CS	metal	0,02	72 NBR 902	B2FUDSL	335191	B
90	120	15	C	metal	0,02	72 NBR 902	B2FUD	334339	B
90	125	13	C	metal	0,05	72 NBR 902	B2	23250	B
90	130	13	C	metal	0,05	72 NBR 902	B2	23251	B
90	140	13	C	metal	0,05	72 NBR 902	B2	23252	B
92	120	13	C	metal	0,05	72 NBR 902	B2	23253	B
93	110	13	C	metal	0,05	72 NBR 902	B2U	22811	B
94	120	13	C	metal	0,05	72 NBR 902	B2	23258	B
95	115	13	C	metal	0,02	72 NBR 902	B2FUD	334978	B
95	120	13	CS	metal	0,05	72 NBR 902	B2USL	330834	B
95	120	13	C	metal	0,02	72 NBR 902	B2FUD	334360	B
95	120	13	C	metal	0,05	75 FKM 595	B2U	49004121	D
95	120	15	C	metal	0,02	72 NBR 902	B2FUD	334654	B
95	125	13	C	metal	0,05	72 NBR 902	B2U	23262	B
95	125	15	C	metal	0,05	72 NBR 902	B2	2521	B
95	130	13	C	metal	0,05	72 NBR 902	B2U	23263	B
96	125	13	C	metal	0,05	72 NBR 902	B2U	23265	B
97	120	13	C	metal	0,05	72 NBR 902	B2	23266	B
98	120	13	C	metal	0,05	72 NBR 902	B2	23269	B
98	125	13	C	metal	0,05	72 NBR 902	B2	23270	B
98	128	10	C	metal	0,05	72 NBR 902	B2	23271	B
98	130	13	C	metal	0,05	72 NBR 902	B2	23272	B
100	120	12	C	metal	0,05	75 FKM 595	B2U	2205	D
100	120	12	C	metal	0,05	72 NBR 902	B2U	307035	B
100	120	13	C	metal	0,02	72 NBR 902	B2FUD	334350	B
100	120	15	C	metal	0,05	72 NBR 902	B2U	9547	B
100	125	13	CS	metal	0,05	72 NBR 902	B2SL	150733	B
100	125	13	C	metal	0,02	72 NBR 902	B2FUD	335193	B
100	125	15	C	metal	0,02	72 NBR 902	B2FUD	335984	B
100	130	13	CS	metal	0,05	72 NBR 902	B2USL	23470	B
100	130	13	C	metal	0,02	72 NBR 902	B2FUD	335169	B
100	130	15	C	metal	0,02	72 NBR 902	B2FUD	335985	B
100	140	13	C	metal	0,05	72 NBR 902	B2U	23278	B
102	130	13	C	metal	0,05	72 NBR 902	B2U	23281	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
103	125	13	C	metal	0,05	72 NBR 902	B2U	23283	B
104	130	13	C	metal	0,05	72 NBR 902	B2	23285	B
105	125	13	C	metal	0,05	72 NBR 902	B2U	22815	B
105	130	13	C	metal	0,05	72 NBR 902	B2U	23286	B
105	130	15	C	metal	0,05	72 NBR 902	B2U	11439	B
105	135	13	C	metal	0,05	72 NBR 902	B2	365337	B
105	140	13	C	metal	0,05	72 NBR 902	B2U	23288	B
105	140	13	CS	metal	0,05	72 NBR 902	B2USL	38081	B
105	140	15	C	metal	0,05	72 NBR 902	B2	19633	B
105	150	15	C	metal	0,05	72 NBR 902	B2	23289	B
106	130	13	C	metal	0,05	72 NBR 902	B2	23290	B
107	130	13	C	metal	0,05	72 NBR 902	B2	23291	B
107	140	13	C	metal	0,05	72 NBR 902	B2U	23292	B
108	130	13	C	metal	0,05	72 NBR 902	B2	23293	B
108	140	13	C	metal	0,05	72 NBR 902	B2U	23294	B
110	128	9	C	metal	0,05	72 NBR 902	B2	7792	B
110	130	12	C	metal	0,05	75 FKM 595	B2U	2218	D
110	130	12	C	metal	0,05	72 NBR 902	B2U	418208	B
110	130	13	C	metal	0,02	72 NBR 902	B2FUD	341230	B
110	130	15	C	metal	0,02	72 NBR 902	B2FUD	341239	B
110	140	13	CS	metal	0,02	72 NBR 902	B2FUDSL	335171	B
110	140	13	C	metal	0,02	72 NBR 902	B2FUD	345079	B
110	140	15	C	metal	0,02	72 NBR 902	B2FUD	335988	B
110	150	13	C	metal	0,02	72 NBR 902	B2FUD	364342	B
110	150	15	C	metal	0,02	72 NBR 902	B2FUD	366328	B
112	140	13	C	metal	0,05	72 NBR 902	B2	23299	B
112	150	15	C	metal	0,05	72 NBR 902	B2	23301	B
113	140	13	C	metal	0,05	72 NBR 902	B2	23302	B
114	140	13	C	metal	0,05	72 NBR 902	B2U	23303	B
115	140	11	CS	metal	0,05	72 NBR 902	B2USL	23557	B
115	140	12	C	metal	0,05	75 FKM 595	B2U	2231	D
115	140	13	C	metal	0,02	72 NBR 902	B2FUD	335167	B
115	140	15	C	metal	0,02	72 NBR 902	B2FUD	335995	B
115	150	13	C	metal	0,05	72 NBR 902	B2U	23309	B
115	150	15	C	metal	0,05	72 NBR 902	B2	23310	B
115	160	15	C	metal	0,05	72 NBR 902	B2	23311	B
116	140	13	C	metal	0,05	72 NBR 902	B2	23530	D
118	140	13	C	metal	0,05	72 NBR 902	B2	23313	B
118	150	15	C	metal	0,05	72 NBR 902	B2	23314	B
118	160	15	C	metal	0,05	72 NBR 902	B2U	23315	B
120	140	13	C	metal	0,02	72 NBR 902	B2FUD	335172	B
120	145	15	C	metal	0,05	72 NBR 902	B2U	66352	B
120	150	13	C	metal	0,02	72 NBR 902	B2FUD	335986	B
120	150	15	CS	metal	0,05	72 NBR 902	B2SL	12059	B
120	150	15	C	metal	0,02	72 NBR 902	B2FUD	335987	B
120	150	15	CS	metal	0,05	72 NBR 902	B2USL	145092	B
120	160	13	C	metal	0,05	72 NBR 902	B2	23319	B
120	160	15	C	metal	0,05	72 NBR 902	B2	23320	B
120	170	15	C	metal	0,05	72 NBR 902	B2U	23533	B
122	150	13	C	metal	0,05	72 NBR 902	B2U	23322	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
122	150	15	C	metal	0,05	72 NBR 902	B2	23323	D
124	150	15	C	metal	0,05	72 NBR 902	B2	23324	B
125	150	13	C	metal	0,02	72 NBR 902	B2FUD	335161	B
125	150	15	C	metal	0,02	72 NBR 902	B2FUD	335994	B
125	150	15	CS	metal	0,05	72 NBR 902	B2USL	409243	B
125	152,4	15	C	metal	0,05	72 NBR 902	B2	3824	B
125	160	13	C	metal	0,05	72 NBR 902	B2	23328	B
125	160	15	C	metal	0,05	72 NBR 902	B2	23329	B
125	160	15	CS	metal	0,05	72 NBR 902	B2SL	25638	D
125	170	13	C	metal	0,05	72 NBR 902	B2	23330	B
125	170	15	C	metal	0,05	72 NBR 902	B2	23331	B
128	146	13,5	C	metal	0,02	72 NBR 902	B2FUD	341229	B
128	150	12,5	C	metal	0,05	75 FKM 585	B2U	24662	D
128	150	15	C	metal	0,05	72 NBR 902	B2U	23332	B
128	160	15	C	metal	0,05	72 NBR 902	B2U	23333	B
129	160	15	C	metal	0,05	72 NBR 902	B2	23335	B
130	155	10	C	metal	0,05	72 NBR 902	B2U	21415	B
130	160	13	C	metal	0,05	72 NBR 902	B2U	23336	B
130	160	15	CS	metal	0,05	72 NBR 902	B2USL	34910	B
130	160	15	C	metal	0,02	72 NBR 902	B2FUD	364341	B
130	165	13	C	metal	0,05	72 NBR 902	B2U	23338	B
130	170	13	C	metal	0,05	72 NBR 902	B2	23340	B
130	170	15	C	metal	0,05	72 NBR 902	B2	23342	B
130	170	15	CS	metal	0,05	72 NBR 902	B2USL	23476	B
130	180	15	C	metal	0,05	72 NBR 902	B2U	23343	B
132	160	13	C	metal	0,05	72 NBR 902	B2	23344	B
132	160	15	C	metal	0,05	72 NBR 902	B2	23345	B
135	160	13	C	metal	0,02	72 NBR 902	B2FUD	335199	B
135	160	14	C	metal	0,05	75 FKM 595	B2	432265	D
135	160	15	C	metal	0,02	72 NBR 902	B2FUD	335991	B
135	165	13	C	metal	0,05	72 NBR 902	B2U	23348	B
135	165	15	C	metal	0,05	72 NBR 902	B2	23537	B
135	170	13	C	metal	0,05	72 NBR 902	B2U	23349	B
135	170	15	C	metal	0,05	72 NBR 902	B2U	23350	B
135	180	15	C	metal	0,05	72 NBR 902	B2U	23351	B
138	160	15	C	metal	0,02	72 NBR 902	B2FUD	335197	B
138	170	15	C	metal	0,05	72 NBR 902	B2U	23352	B
140	160	13	C	metal	0,05	72 NBR 902	B2U	374756	B
140	160	15	C	metal	0,02	72 NBR 902	B2FUD	345082	B
140	165	12	C	metal	0,05	72 NBR 902	B2	22821	B
140	165	15	C	metal	0,05	72 NBR 902	B2U	23354	B
140	170	13	CS	metal	0,05	75 FKM 595	B2SL	2272	D
140	170	13	C	metal	0,02	72 NBR 902	B2FUD	335198	B
140	170	15	CS	metal	0,02	72 NBR 902	B2FUDSL	334337	B
140	170	15	C	metal	0,02	72 NBR 902	B2FUD	335993	B
140	180	15	C	metal	0,05	72 NBR 902	B2	23357	B
140	180	15	CS	metal	0,05	72 NBR 902	B2SL	321493	B
140	190	15	C	metal	0,05	72 NBR 902	B2	23358	B
142	170	15	C	metal	0,05	72 NBR 902	B2U	23535	B
144	180	15	C	metal	0,05	72 NBR 902	B2	23359	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
145	165	13	C	metal	0,02	72 NBR 902	B2FUD	341228	B
145	170	13	CS	metal	0,05	72 NBR 902	B2SL	5238	B
145	170	13	C	metal	0,05	72 NBR 902	B2U	23360	B
145	170	15	C	metal	0,05	72 NBR 902	B2U	23361	B
145	175	13	C	metal	0,05	72 NBR 902	B2U	114908	B
145	175	15	C	metal	0,05	72 NBR 902	B2	2619	B
145	180	13	C	metal	0,05	72 NBR 902	B2	23362	B
145	180	15	C	metal	0,05	72 NBR 902	B2U	23363	B
145	190	15	C	metal	0,05	72 NBR 902	B2	23364	B
146	178	14	C	metal	0,05	72 NBR 902	B2	23366	D
148	170	14,5	CS	metal	0,02	72 NBR 902	B2FUDSL	341227	B
148	170	15	C	metal	0,05	72 NBR 902	B2U	23367	B
148	180	15	C	metal	0,05	72 NBR 902	B2U	23368	B
150	170	15	C	metal	0,05	72 NBR 902	B2U	345083	B
150	180	13	C	metal	0,05	72 NBR 902	B2U	23370	B
150	180	13	C	metal	0,05	75 FKM 595	B2	431416	D
150	180	15	C	metal	0,05	72 NBR 902	B2U	23371	B
150	180	15	CS	metal	0,05	72 NBR 902	B2USL	355455	B
150	190	15	C	metal	0,05	72 NBR 902	B2U	23372	B
150	190	15	C	metal	0,05	75 FKM 595	B2	49033343	D
150	200	15	C	metal	0,05	72 NBR 902	B2	23373	B
155	180	15	C	metal	0,05	72 NBR 902	B2	23376	B
155	190	15	C	metal	0,05	72 NBR 902	B2	23377	B
155	200	15	C	metal	0,05	72 NBR 902	B2	23379	B
158	180	15	C	metal	0,05	72 NBR 902	B2U	22826	B
160	180	15	C	metal	0,02	72 NBR 902	B2FUD	395523	B
160	190	13	C	metal	0,05	72 NBR 902	B2	23380	B
160	190	15	C	metal	0,05	72 NBR 902	B2U	23381	B
160	190	15	CS	metal	0,02	72 NBR 902	B2FUDSL	355453	B
160	200	15	C	metal	0,05	72 NBR 902	B2U	23383	B
162	190	15	C	metal	0,05	72 NBR 902	B2	23384	B
165	190	13	C	metal	0,05	72 NBR 902	B2U	23386	B
165	190	15	C	metal	0,05	72 NBR 902	B2U	23387	B
165	200	15	C	metal	0,05	72 NBR 902	B2	23388	B
168	190	15	C	metal	0,05	72 NBR 902	B2U	22828	B
168	200	15	C	metal	0,05	72 NBR 902	B2U	23389	B
168	200	15	C	metal	0,05	75 FKM 585	B2U	326623	D
170	190	15	C	metal	0,02	72 NBR 902	B2FUD	341226	B
170	200	13	C	metal	0,05	72 NBR 902	B2U	23391	B
170	200	15	CS	metal	0,05	72 NBR 902	B2SL	23503	B
170	200	15	C	metal	0,02	72 NBR 902	B2FUD	355457	B
170	215	16	C	metal	0,05	72 NBR 902	B2	23393	B
170	215	16	CS	metal	0,05	72 NBR 902	B2USL	478559	D
170	215	16	C	metal	0,05	72 NBR 902	B2U	478560	B
172	200	15	C	metal	0,05	72 NBR 902	B2U	23395	B
175	200	15	C	metal	0,02	72 NBR 902	B2FUD	334979	B
175	215	16	C	metal	0,05	72 NBR 902	B2U	23397	B
178	200	15	C	metal	0,05	72 NBR 902	B2U	23399	B
178	215	16	C	metal	0,05	72 NBR 902	B2	23400	B
180	200	12	C	metal	0,05	72 NBR 902	B2U	339544	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
180	200	15	C	metal	0,05	72 NBR 902	B2U	23567	B
180	200	15	CS	metal	0,05	72 NBR 902	B2SL	326786	B
180	210	15	C	metal	0,05	72 NBR 902	B2U	2630	B
180	215	15	CS	metal	0,05	72 NBR 902	B2USL	27471	B
180	215	16	C	metal	0,05	72 NBR 902	B2U	23402	B
180	220	16	C	metal	0,05	72 NBR 902	B2	23403	B
182	215	16	C	metal	0,05	72 NBR 902	B2	23404	B
185	215	15	C	metal	0,05	72 NBR 902	B2U	23405	B
185	215	16	CS	metal	0,05	72 NBR 902	B2SL	23480	D
185	215	16	CS	metal	0,05	72 NBR 902	B2SL	100795	B
185	215	16	C	metal	0,05	75 FKM 585	B2U	471587	D
185	230	16	C	metal	0,05	72 NBR 902	B2	23406	B
188	215	16	C	metal	0,05	72 NBR 902	B2	23407	B
190	215	16	C	metal	0,05	72 NBR 902	B2U	22831	B
190	220	15	C	metal	0,02	72 NBR 902	B2FUD	345085	B
190	230	16	C	metal	0,05	72 NBR 902	B2	23409	B
195	220	16	C	metal	0,05	72 NBR 902	B2U	23411	B
195	220	16	C	metal	0,05	75 FKM 595	B2U	530942	D
195	230	15	C	metal	0,05	72 NBR 902	B2	23412	B
200	230	15	C	metal	0,05	72 NBR 902	B2U	23414	B
200	230	15	CS	metal	0,05	72 NBR 902	B2SL	34917	B
200	250	15	C	metal	0,05	72 NBR 902	B2	23415	B
205	230	16	C	metal	0,05	72 NBR 902	B2U	22832	B
205	250	16	C	metal	0,05	72 NBR 902	B2	25648	B
210	240	15	C	metal	0,05	72 NBR 902	B2	2551	B
210	240	15	C	metal	0,05	75 FKM 595	B2U	312565	D
210	250	16	C	metal	0,05	72 NBR 902	B2U	23418	B
215	245	16	C	metal	0,05	75 FKM 585	B2U	327418	D
215	250	16	C	metal	0,05	72 NBR 902	B2U	23419	B
215	250	16	C	metal	0,05	75 FKM 595	B2U	429789	D
218	250	16	C	metal	0,05	72 NBR 902	B2	23420	B
220	250	15	C	metal	0,05	72 NBR 902	B2U	23421	B
220	250	15	CS	metal	0,05	72 NBR 902	B2SL	150730	B
220	250	15	C	metal	0,05	75 FKM 595	B2U	433549	D
220	250	15	CS	metal	0,05	72 NBR 902	B2USL	478509	B
220	250	15	C	metal	0,05	72 NBR 902	B2U	478510	B
220	270	15	C	metal	0,05	72 NBR 902	B2	23714	B
225	250	16	C	metal	0,05	72 NBR 902	B2	22834	B
225	270	16	C	metal	0,05	72 NBR 902	B2	23715	B
230	260	15	C	metal	0,05	72 NBR 902	B2	2555	B
230	260	15	C	metal	0,05	75 FKM 595	B2	83032	D
230	270	15	C	metal	0,05	72 NBR 902	B2	23718	B
230	280	16	C	metal	0,05	72 NBR 902	B2	23719	B
235	270	16	C	metal	0,05	72 NBR 902	B2U	23720	B
240	270	15	C	metal	0,05	75 FKM 585	B2U	67082	D
240	270	15	CS	metal	0,05	72 NBR 902	B2USL	478504	B
240	270	15	C	metal	0,05	72 NBR 902	B2U	478505	B
240	280	16	C	metal	0,05	72 NBR 902	B2	23722	B
240	280	16	C	metal	0,05	75 FKM 585	B2	455906	D
240	290	16	C	metal	0,05	72 NBR 902	B2	23723	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
245	270	16	C	metal	0,05	72 NBR 902	B2U	23708	B
250	280	15	C	metal	0,05	72 NBR 902	B2	2563	B
250	280	15	C	metal	0,05	75 FKM 585	B2	330565	D
250	280	15	CS	metal	0,05	72 NBR 902	B2SL	478501	B
250	280	15	C	metal	0,05	72 NBR 902	B2U	478503	B
250	280	16	C	metal	0,05	72 NBR 902	B2	23725	B
250	290	16	C	metal	0,05	72 NBR 902	B2	23726	B
255	290	16	C	metal	0,05	72 NBR 902	B2U	23727	B
260	280	16	C	metal	0,05	72 NBR 902	B2	25363	B
260	290	16	C	metal	0,05	72 NBR 902	B2U	23728	B
260	290	16	C	metal	0,05	75 FKM 595	B2	301481	D
260	300	20	C	metal	0,05	72 NBR 902	B2	31706	B
260	310	16	C	metal	0,05	72 NBR 902	B2U	23729	B
265	290	16	C	metal	0,05	72 NBR 902	B2U	23746	B
265	290	16	C	metal	0,05	75 FKM 595	B2	387240	D
265	310	16	C	metal	0,05	72 NBR 902	B2	23731	B
270	310	16	C	metal	0,05	72 NBR 902	B2	23733	B
270	310	16	CS	metal	0,05	72 NBR 902	B2USL	150423	B
270	310	16	C	metal	0,05	75 FKM 595	B2	376654	D
275	310	16	C	metal	0,05	72 NBR 902	B2	23734	B
280	310	16	C	metal	0,05	72 NBR 902	B2	23736	B
280	320	20	C	metal	0,05	72 NBR 902	B2	26356	B
280	320	20	CS	metal	0,05	72 NBR 902	B2USL	304607	B
280	320	20	C	metal	0,05	75 FKM 595	B2	308782	D
285	310	16	C	metal	0,05	72 NBR 902	B2U	23710	B
290	330	18	C	metal	0,05	72 NBR 902	B2U	31476	B
300	332	16	C	metal	0,05	72 NBR 902	B2	23750	B
300	335	18	C	metal	0,05	72 NBR 902	B2	23745	B
300	340	20	C	metal	0,05	72 NBR 902	B2	2528	B
300	340	20	C	metal	0,05	75 FKM 595	B2	435428	D
310	350	18	C	metal	0,05	72 NBR 902	B2	25369	B
310	350	18	C	metal	0,05	75 FKM 595	B2	389112	D
315	355	18	C	metal	0,05	72 NBR 902	B2	23737	B
315	365	20	C	metal	0,05	72 NBR 902	B2	23531	B
315	365	20	C	metal	0,05	75 FKM 595	B2U	126441	D
320	350	18	C	metal	0,05	72 NBR 902	B2	34939	B
320	360	18	C	metal	0,05	72 NBR 902	B2	23738	B
320	360	18	C	metal	0,05	75 FKM 595	B2	424128	D
320	360	20	C	metal	0,05	72 NBR 902	B2	2530	B
320	360	20	C	metal	0,05	75 FKM 595	B2	459247	D
325	365	16	C	metal	0,05	72 NBR 902	B2	23760	B
330	370	18	C	metal	0,05	72 NBR 902	B2	23739	B
340	372	16	C	metal	0,05	72 NBR 902	B2	23754	B
340	380	18	C	metal	0,05	72 NBR 902	B2	23740	B
340	380	20	C	metal	0,05	72 NBR 902	B2	2531	B
340	380	20	C	metal	0,05	75 FKM 585	B2	126482	D
350	390	18	C	metal	0,05	72 NBR 902	B2	23741	B
360	392	20	C	metal	0,05	72 NBR 902	B2	25510	B
360	400	18	C	metal	0,05	72 NBR 902	B2	23711	B
360	400	20	C	metal	0,05	72 NBR 902	B2	31739	B

B Available from stock D On request: Tool is available, delivery at short notice

d₁	d₂	b	DIN 3761	Outer surface	Pressure	Material	Type	Article No.	
360	400	20	C	metal	0,05	75 FKM 595	B2	102925	D
365	405	18	C	metal	0,05	72 NBR 902	B2	23749	B
380	420	20	C	metal	0,05	72 NBR 902	B2	2535	B
380	420	20	C	metal	0,05	75 FKM 585	B2	117105	D
380	430	19	C	metal	0,05	72 NBR 902	B2	25375	B
390	430	18	C	metal	0,05	72 NBR 902	B2	3565	B
395	430	18	C	metal	0,05	72 NBR 902	B2	23743	B
400	440	20	C	metal	0,05	72 NBR 902	B2	25377	B
400	440	20	C	metal	0,05	75 FKM 595	B2	437815	D
420	460	20	C	metal	0,05	72 NBR 902	B2	23759	B
420	460	20	C	metal	0,05	75 FKM 595	B2	428983	D
420	460	20	C	metal	0,05	75 FKM 595	B2	49011887	B
440	470	20	C	metal	0,05	72 NBR 902	B2	23748	B
440	480	20	C	metal	0,05	72 NBR 902	B2	31751	B
460	500	20	C	metal	0,05	72 NBR 902	B2	2539	B
467	510	20	C	metal	0,05	72 NBR 902	B2	23753	B
480	520	20	C	metal	0,05	72 NBR 902	B2	19783	B
500	540	20	C	metal	0,05	72 NBR 902	B2	2544	B
530	580	20	C	metal	0,05	72 NBR 902	B2	105909	D
600	640	20	C	metal	0,05	80 NBR 709	B2	23692	B
640	680	20	C	metal	0,05	72 NBR 902	B2U	387666	B
650	690	20	C	metal	0,05	72 NBR 902	B2	88794	D
670	710	20	C	metal	0,05	72 NBR 902	B2	150313	D
680	730	20	C	metal	0,05	75 FKM 595	B2	435412	D
710	760	20	C	metal	0,05	80 NBR 709	B2	23684	B
760	800	20	C	metal	0,05	72 NBR 902	B2U	388786	D
799	860	25	C	metal	0,05	72 NBR 902	B2	125558	D
930	990	25	C	metal	0,05	72 NBR 902	B2	306488	D

B Available from stock D On request: Tool is available, delivery at short notice

